

令和2年5月19日

各部長の長 殿

学 長

研究活動の一部再開について(第2報)

新型コロナウイルスの感染拡大が続く中、教員の研究活動については、「新型コロナウイルス感染拡大防止に向けた金沢大学の活動指針(R2.5.19)」に基づき、活動レベルが3に引き下げられましたが、今後も下記の要件を継続し、必要性や重要性、継続性を考慮しながら、やむを得ない場合に限り構内での研究活動を可能としますので、所属教員に周知願います。

なお、大学院学生の研究再開にあたっては、主任指導教員がその必要性等を判断し、主任指導教員から部局長に承認を得た上で実施してください。(その他の要件は教員に準ずる。)

また、今後の国や県、市の方針や判断等に従い、本取り扱いを見直す場合がありますので、ご承知おきください。

記

1. 研究再開の要件

- (1) 各教員は、2週間の体温、自覚症状を自己申告すること。

具体的には、下記①、②のとおりとする。

- ① 研究再開にあたっては、2週間、発熱と自覚症状が無いことを前提とする。
※緊急事態措置を実施すべき区域からの移動者は、石川県内への移動日から2週間、発熱と自覚症状が無いことを前提とする。

- ② 自己チェックは、保健管理センター所定の様式(健康チェックシート)を用い、部局長に提出する。なお、検温や自覚症状の確認は、研究開始後も継続すること。(「2. 研究継続の要件」参照。)

- (2) 各教員は、研究従事者の必要性和従事内容を、事前に部局長へ届け出ること。

ただし、大学院学生が研究に従事する場合は、主任指導教員がその必要性等を判断し、主任指導教員から部局長に承認を得ること。

また、食事はできるだけ持参すること。

※届出等の手段、確認方法等は、各部局が実情に応じて判断する。

- (3) 研究環境については、教員個人はもとより、各研究室、部局全体で下記①～③を徹底すること。

- ① ソーシャルディスタンス

- ・教員同士の距離確保(4 m²/人程度のスペース確保)
- ・事業場の換気励行 等

- ② 時間的な分離・隔離
 - ・交代勤務の実施 等
- ③ その他感染予防対策
 - ・複数人が触る箇所の消毒
 - ・マスクの着用、手洗い
 - ・研究室単位でのアルコール消毒液の常備 等

上記①～③については、本学保健管理センターや国等が示す実践例も参考としながら、各教員及び組織で感染予防の徹底に努めるとともに、当該研究継続期間中は、上記の研究環境を維持すること。（「2. 研究継続の要件」参照。）

2. 研究継続の要件

- (1) 部局長は、出勤者を常に把握すること。
- (2) ソーシャルディスタンス、時間的な分離・隔離、消毒、マスクの着用、手洗い、アルコール消毒液の常備等を実施すること。（「1. 研究の再開要件」(3)を維持。）
- (3) 各教員は、研究再開後も日々検温及び自覚症状の記録を継続し、発熱や味覚・嗅覚異常、咳、鼻汁などの呼吸器症状、頭痛、下痢などの症状がある場合は、出勤を控えること。その際、症状を部局長へ報告するとともに部局を通して保健管理センターと相談し、症状に応じて自宅待機、保健所への相談、医療機関への受診などを原則とする。

※健康チェックシート様式

https://www.kanazawa-u.ac.jp/university/corporation/risk_management/new_coronavirus/alert

May 19, 2020

To: Deans, Directors, and Heads of the departments

President

【Second Announcement】Requirements for resuming some research activities

While the spread of new coronavirus infections continues, based on the “Kanazawa University’s Guideline to Prevent the Spread of Coronavirus Disease 2019 (COVID–19) as of May 19, 2020,” research activity level has been lowered to Level 3. Please inform your faculty members that the following requirements will continue and that research activities on the campus will be allowed only when it is unavoidable, taking into account the necessity, importance, and continuity.

When a graduate student resumes his/her research, the primary supervisor should assess the necessity and obtain the approval from the dean, director, or head of the departments (hereinafter referred to as “director(s)”). (Other requirements are the same as for faculties.)

In addition, please note that this policy may be changed in accordance with the decision of the country, prefecture or city.

Note

1. Requirements for resuming research

(1)Faculties are required to report their body temperature and subjective symptoms for the last 2 weeks, following the steps ① and ② below.

①When resuming research, it is assumed that there is no fever and no subjective symptoms for 2 weeks.

✕On the conditions of no fever and subjective symptoms for two weeks from the day of moving to Ishikawa Prefecture, those who have moved from areas where emergency measures should be implemented are allowed to come to campus.

②They should use the format of the Health Service Center (health check sheet) and the director(s).

Even after starting research, please continue to check body temperature and subjective symptoms.

(See “2. Requirements for continuing research”)

(2)Each faculty member must notify the department director(s) in advance of the necessity and content of research work.

However, when a graduate student resumes research, the primary supervisor should assess the necessity and obtain the approval from the director.

Also, please bring your meals with you as much as possible.

✕The means of notification and confirmation methods shall be determined by each department according to the actual situation.

(3) Regarding the research environment, not only individual faculty members, but also each laboratory and department as a whole should thoroughly implement the following ① to ③.

① Social distancing

- Keep a distance from each other (securing a space of about 4 m² / person)
- Room ventilation, etc.

② Temporal separation / isolation

- Implementation of shift work, etc.

③ Other infection prevention measures

- Disinfection of parts touched by multiple people
- Wearing a mask, washing hands.
- Always keeping alcohol disinfectants in each laboratory, etc.

For the above ① to ③, please refer to the practical examples provided by the Health Service Center, the government and others, and make every effort to prevent infection and maintain the above research environment for the duration of the research. (See “2. Requirements for continuing research”)

2. Requirements for continuing research

(1) Director(s) must always keep track of faculties who work on campus.

(2) Social distancing, temporal separation / isolation, disinfection, wearing a mask, washing hands, keeping alcohol disinfectants, etc. shall be implemented. (Keep “1. Research resumption requirements” (3).)

(3) Daily thermometry and recording of subjective symptoms should be continued after the research is resumed. If you have a fever, respiratory symptoms such as abnormal taste and smell, cough, nasal discharge, or symptoms such as headaches and diarrhea, etc., refrain from going to work. At that time, as a general rule, you should report the symptoms to the director(s) and consult with the Health Service Center through the department, and depending on the symptoms, stay at home, consult with the public health center, or visit a medical institution, etc.

* Format of health check sheet

https://www.kanazawa-u.ac.jp/university/corporation/risk_management/new_coronavirus/alert